

cooling system



MINICOOL












NOGA MINICOOL is using the VENTURI principle to spray an air + liquid mixture. It consists of the following basic elements:

A control valve, spray unit, air line, syphon line and a powerful on/off Popeye magnet, which has a "V" form base, making it possible to mount on non-flat surfaces. The MINICOOL enables the user to easily control both the air flow rate and liquid rate.


Stainless steel armoured syphon hose and air hose are made in standard lengths: 1m, 2m, 3m (special lengths available upon request).

The spray unit comes in three standard lengths: 264, 334, 479 mm (special lengths available upon request).

Spare parts

Spare parts		Order no.			Order no.
	Control valve with Popeye magnet	MC0130		Valve stem	MC0204
	Spray unit 270 mm	MC0101		Filter	MC3637
	Spray unit 340 mm	MC0102		Washer	MC0030
	Spray unit 485 mm	MC0103		Nuzzle nut	MC0001
	Air line 1 m	MC0380		Banjo screw + washer	MC0232
	Air line 2 m	MC0302		Banjo fitting	MC0031
	Suction line 1 m	MC0360			
	Suction line 2 m	MC0311			


MINICOOL



For maximum heat dissipation and extended tool life

- Strong magnetic base
- Separate on/off air and fluid controls
- Stainless steel armoured syphon hose and air hose
- Nozzle connected via Loc-Line® flexible hose
- Simple, inexpensive, rugged
- Single spray unit

MC1700



- Same as MC1700 but with 2 spray units

MC3000

MINICOOL order no.:

Air hose	Syphon hose	One spray unit of length (mm)			Two spray units of length (mm)		
		264	334	479	264	334	479
1 m	1 m	MC1700	MC1800	MC2000	MC3000	MC3100	MC3200
1 m	2 m	MC1710	MC1810	MC2010	MC3010	MC3110	MC3210
2 m	1 m	MC1720	MC1820	MC2020	MC3020	MC3120	MC3220
2 m	2 m	MC1730	MC1830	MC2030	MC3030	MC3130	MC3230