

Countersink Reversible





Handles

R Blades




BLADES	order no.		ang l e (degrees)	range (mm)	package weight (g)	package quantity
R1	BR1001	v	90	3-5.5	4	1
R2	BR2001	▼	90	5-10	5	1
R3	BR3001		90	10-22	6	1

All blades supplied with replacement screw

All blades are made of H.S.S. Hardness 62-64Rc

POSITION TWO

BLADE POSITION OPTIONS



Deburring on internal surface via an opening. Rotate blade 90° from position one, enter opening, rotate again the blade another 90°.

TO REPLACE THE BLADE. The aluminium part at top of each handle conceals a suitable allen key. Pull it from the handle and use the key to remove and replace blade.

17



MINI REVERSIBLE RC1000

Very fine tool for deburring both back and front sides holes. Range: 3-5.5 mm. INCLUDES: Steel handle, R1 blade.



MEDIUM REVERSIBLE RC2000

Range: 5-10 mm. NCLUDES: Steel handle, R2 blade



LARGE REVERSIBLE RC2200

Range: 10-22 mm. NCLUDES: Steel handle, R3 blade.





Countersink Power Tool Set CS7000 INCLUDES:

pc. connector for internal countersink - CH1930
pc. connector for external countersink - CH1970
pc. C12 int, countersink blade - BC1211
pc. C20 int, countersink blade - BC2011
pc. C30 int, countersink blade - BC3011

1 pc. EX28 ex. countersink blade - EX3001



Reversible Countersink Set RC3300

1 pc. Reversible RC1000 1 pc. Reversible RC2000 1 pc. Reversible RC2200