

# Scrapers



# Adjustable Scrapers

## MINI SCRAPER YT1100

The best mini scraper for tool and die makers.  
INCLUDES: YT handle and D75 HSS triangular mini scraper blade.



## SCRAPER SC8000

Ideal for scraping, trimming and deburring most materials.  
INCLUDES: SC handle and T80 double ended medium triangular scraper blade.



## MINI SCRAPER NG3700

Ideal for tool and die makers.  
INCLUDES: NG-3 handle, D holder, D50 triangular mini scraper blade and a allen key.



## SCRAPER YT1200

Ideal for scraping, trimming and deburring most materials.  
INCLUDES: YT handle and T80 double ended medium triangular scraper blade.



## HEAVY DUTY SCRAPER SC1500

Ideal for scraping, trimming and deburring most heavy duty materials.  
INCLUDES: H.D. SC handle and T120 double ended triangular scraper blade.



## TRIANGULAR SCRAPER NG3610

Ideal for standard scraping  
INCLUDES: NG-3 handle, TN holder and T60 scraper.



## INTERNAL SCRAPER NG3710





Ideal for cross-holes deburring.  
INCLUDES: NG-3 handle, D holder, D66 internal scraper blade and allen key.



# Scraper Blades



# Handles D and T Blades



## NG-3 Handle NG3000

NogaGrip-3 - holds all blade holders.  
Designed for maximum comfort in your hand.



## YT Handle YT1000

The perfect grip for Noga adjustable scrapers, needle files, pins and drills. Range: 2.2-4.5mm




## SC Handle SC1300

Hexagonal black anodized 12 mm diameter handle with knurled locking collar for blade extension control. - holds D50, D66, D75, D77 and T80 scraper blades. Length 120 mm.



## H.D. SC Handle SC1400

Hexagonal black anodized 14 mm diameter handle with knurled locking collar for blade extension control. Holds T120 scraper blade and screw bits. Length 130 mm.



## BLADES

|                    | order no. |  | width x length (mm) | angle (degrees) | package weight (g) | package quantity |
|--------------------|-----------|--|---------------------|-----------------|--------------------|------------------|
| <b>D50</b>         | BD5010    |  | 2.5 x 50            | 60              | 37                 | 10               |
| <b>D50TiN</b>      | BD5012    |  | 2.5 x 50            | 60              | 37                 | 10               |
| <b>D55 Carbide</b> | BD5501    |  | 2.5 x 50            | 60              | 9                  | 1                |
| <b>D66</b>         | BD6610    |  | 2.7 x 50            | 50              | 44                 | 10               |
| <b>D75</b>         | BD7501    |  | 2.5 x 75            | 60              | 8                  | 1                |
| <b>D77</b>         | BD7701    |  | 2.7 x 75            | 50              | 9                  | 1                |
| <b>T40</b>         | BT4001    |  | 4.2 x 40            | 60              | 7                  | 1                |
| <b>T60</b>         | BT6001    |  | 7.4 x 60            | 60              | 11                 | 1                |
| <b>T80</b>         | BT8001    |  | 4.2 x 80            | 60              | 11                 | 1                |
| <b>T120</b>        | BT1200    |  | 7.4 x 120           | 60              | 24                 | 1                |

All blades are made of H.S.S. Hardness 62-64Rc, except D55 Carbide 1400-1700 HV and T80, T120 CR115 58-60Rc

## D Holder EL05003

Holds D scraper blades. A 3 mm setscrew - holds the blade in position. Allen key included. Length 131 mm.



## TN Holder EL0608

Holds T40 and T60 scraper blades. NF10 Int. thread. Length 113 mm.

